

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

FEB 2013 OFFICE OF CHEMICAL SAFFTY AND POLLUTION PREVENTION

Nasser Assaf, Ph.D. Valent BioSciences Corporation 870 Technology Way Libertyville, IL 60048

Subject:

Label Amendments - Add Public Health Pest Claims and Use Directions

EPA Registration No. 73049-177 UltraTec® DS 205 Insecticide

EPA Registration No. 73049-187

UltraTec® HPC 3

EPA Registration No. 73049-182 UltraTec® D 200 Insecticide

EPA Registration No. 73049-366 UltraTec® DP 205 Insecticide

EPA Registration No. 73049-183

EPA Registration No. 73049-368

UltraTec® DS 210 Insecticide

UltraTec® DP 210 Insecticide

EPA Registration No. 73049-185

EPA Registration No. 73049-431

UltraTec® HPC 2

UltraTec® VERA 3

Your submissions dated September 4, 2012

Dear Dr. Assaf:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable. Two (2) copies of the final printed labeling for each product must be submitted prior to releasing the products for shipment. A stamped copy of each label is enclosed for your records.

Copies of the efficacy review memorandum and the product performance data evaluation records (DERs) are included for your records.

If you have questions regarding this action, please contact Olga Odiott at (703) 308-9369.

Product Manager 13

Insecticide Branch

Registration Division (7505P)

UltraTec® D 200 INSECTICIDE

- · For Household And Domestic Use Only
- [Kills Carbamate And Organophosphate Resistant Cockroaches
- · Kills Ants & Roaches On Contact
- · Kills Carpenter Ants
- · Controls Scorpions, Spiders & Ticks
- · Water-Based Formula
- Killing Action
- · Long-Lasting Formula
- · For Indoor/Outdoor Use
- Kills Fleas-Roaches-Ants-Spiders
- Kills On Contact
- Broad Spectrum Insect Control
- · No Unpleasant Odor
- · Won't Stain Carpets And Floors
- Keeps Killing Lady Beetles for up to 35 Days
- · Protects Against German Cockroaches And Houseflies For up To 12 Weeks [3 Months]
- Keeps On Killing German Cockroaches And Houseflies For Up To 12 Weeks [3 Months]
- Keeps On Killing German & American Cockroaches And Argentine Ants For Up To 12 Months [1 year]**
- Protects Against German & American Cockroaches And Argentine Ants For Up To 12 Months [1 year]**
- · Protects for up to 12 Weeks [3 months] ***
- Keeps on Killing for up to 12 Weeks [3 months]***
- · Protects for up to 12 Months [1 year] ****
- · Keeps on Killing for up to 12 Months [1 year]****[
- ** on non-porous surfaces
- *** German Cockroaches and Houseflies
- ****German and American Cockroaches and Argentine ants on non-porous surfaces.

ACTIVE INGREDIENT:

Deltamethrin	0.02 %
OTHER INGREDIENTS*:	<u>99.98 %</u>
	100,00 %

^{*} Contains petroleum distillate

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)


EPA REG, NO. 73049-182

EPA EST NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Side Panel for Additional Precautions

NET WEIGHT:



FIRST AID	
If Swallowed:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
	HOT LINE NUMBER
In case of Medical	ontainer or label with you when calling a poison control center or doctor, or going for treatment emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, to obtained by calling 1-877-315-9819.
	NOTE TO PHYSICIAN
Contains petroleum	distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Environmental Hazards

This product is toxic to fish and aquatic organisms. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash waters.

This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

Physical and Chemical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

UltraTec D 200 has residual action which keeps on killing German & American Cockroaches and Argentine Ants for up to 12 Months (1 Year) on non-porous surfaces and Houseflies for up to 12 weeks (3 months) after you spray.

Remove pets, birds and cover fish aquariums before spraying. Prevent re-entry of dogs and cats into treated area until spray deposits are dry.

Test product on an inconspicuous area before applying. Spray until surface is slightly wet, but not to the point of run-off. Over application may cause damage. Will not stain surfaces or fabrics where water alone causes no damage.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. [Remove protective cap and direct spray away from face.] [Twist and snap off tab before spraying. Direct spray away from face.] Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed.

UltraTec D 200 insecticide is intended for use in and around residential structures and their immediate surroundings. Permitted areas of use include: apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandas.

Application is prohibited directly into sewers drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

INDOORS:

Cockroaches (Including Adult and Immature Stages of Both Non-Resistant and Organophosphate and Carbamate Resistant Strains), Ants, Booklice, Boxelder Bugs, Centipedes, Crickets, Dermestids, Firebrats, Fleas, Palmetto Bugs, Silverfish, Sowbugs, Ticks and Waterbugs: Apply as a spot and crack & crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

[Roaches: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly.]

Ants: Spray and trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas ON SURFACES: Remove pet bedding and destroy or clean thoroughly, Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Test first for staining on an inconspicuous piece prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

[Silverfish, Crickets, Spiders: Apply to areas infested by these pests (around doors and windows, along baseboards, in storage areas and other locations where pests are found) or spray pests directly. Spray surfaces until wet.]

CONTACT SPRAY: To kill ants (including carpenter, fire, harvester & pharaoh ants), bed bugs, centipedes, cockroaches, fleas, spiders (including brown recluse, black widow & hobo spiders), ticks, chiggers, black flies, deer flies, horse flies, gnats, biting midges and wasps: Spray where insects congregate and individual pests when seen. Spray 1-3 seconds contacting insects directly. Insects contacted by spray will be killed.

· PANTRY PESTS -

Grain Beetles (Rusty, Merchant and Saw-Toothed), Flour Beetles (Red and Confused), Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Drugstore Beetles, Elmleaf Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles and Tobacco Moths: Treat exposed stages. Remove all food-stuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

Carpet Beetles (Black, Furniture and Varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Remove all exposed food and cooking utensils. Cover all food handling surfaces and/or wash thoroughly after treatment and before use. Do not use on edible crops.

Do not contaminate fish ponds or apply directly to water. Do not water the treated area to the point of run-off. Do not make applications during rain. All outdoor application must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

- Treatment to soil or vegetation around structures;
- Applications to lawns, turf, and other vegetation;
- Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and crevice applications, only

Point nozzle away from face. Hold can on a slight downward angle, approximately 12 - 15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation by Ants, Clover Mites, Crickets and Sowbugs (Pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to)

73049-182 Master Label January 25, 2013
Page 4 of 5

screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week

CRAWLING INSECTS: Ants, Cockroaches (including Asian Cockroaches), Centipedes, Crickets, Mole Crickets and Silverfish. Hold can 12 to 18 inches from surface to be treated and spray in infested surface of patio or picnic are, hitting as many insects as possible. Spray to slightly moisten the surface. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ants: Spray around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray on and around debris until surface is slightly wet. Repeat as necessary but not more than once per week.

[Ants: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Lone Star Ticks, Dog Ticks, Crickets, Fleas and Earwigs: Apply thoroughly to infestations in bushes, grass or weeds.

Asian Lady Bird Beetles (Lady bugs): Spray areas where bugs crawl or rest, especially around doors, on and around screens, windows, doorframes and areas where insects can enter the home. Remove screens prior to spraying them, allow to dry and then reinstall them.

Wasps, Hornets and Bees: Spray nests and bees directly. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, Gnats, Mosquitoes and Small Flying Moths: Use only on outdoor surfaces. Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

FOR THE CONTROL OF GARDEN INSECTS:

For use on roses, dahlias, asters and other ornamentals to kill Japanese Beetles hit by spray, as well as Whiteflies, Aphids, Exposed Thrips, Spiders, Red Mites and Leafminers.

May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against Whiteflies, Aphids, Spider and Red Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Pavement Ants, Clover Mites and Armyworms. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Over application may cause damage. Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from [inaccessible to] children and pets and away from heat, sparks and open flame.] [Protect from freezing.] [Do not freeze.] [Do not transport or store below 32°F.]

Disposal: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. [This container may be recycled in aerosol recycling centers. At present, there are only a few such centers in the country. Before offering for recycling, empty the can by using the product according to the label.] If partly filled: Call your local solid waste agency [or 1-877-315-9819] for disposal instructions.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Valent BioSciences Corporation. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VALENT BIOSCIENCES CORPORATION MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Valent BioSciences Corporation is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Valent BioSciences Corporation disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT VALENT BIOSCIENCES CORPORATION'S

ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

Or alternate text

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

©Valent BioSciences Corporation, 2012

UltraTec is a registered trademark of Valent BioSciences Corporation.

Valent BioSciences Corporation Environmental Science Division 870 Technology Way Libertyville, IL 60048 List No. 73049182 02-0647/R3

Additional Alternate Front Panel Bullets

- · [Contains UltraTec Insecticide
- · Contains Deltamethrin
- Kills Hidden Bugs
- · Kills Bugs You See And Even The Ones You Don't See
- Highly Effective Against Ants, Bees, Carpenter Ants, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Fleas,
 Flour Beetles, Grain Beetles, Ground Beetles, Mole Crickets, Moths, Pillbugs, Scorpions, Silverfish, Sowbugs, Spiders, Ticks
 and Many Other Crawling Insects In and Around Homes, Recreational Vehicles. Cabins, Tents And Other Recreational
 Structures
- · Keeps On Killing
- Contains No CFC's Or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants In Aerosols.
- Guard Your Home With UltraTec]
- Denote alternate text in addition to any subset of the directions for use.